

# Contents

No. 1 - 1-126 issued 18 April 1994  
 No. 2 - 127-252 issued 27 April 1994  
 No. 3 - 253-362 issued 10 May 1994  
 No. 4 - 363-488 issued 25 May 1994  
 No. 5 - 489-604 issued 3 June 1994  
 No. 6 - 605-710 issued 15 June 1994

- Abbas GM → Geiss KT 97  
 Adams C, Dowling DN, O'Sullivan DJ, O'Gara Fergal: Isolation of a gene (*pbsC*) required for siderophore biosynthesis in fluorescent *Pseudomonas* sp. strain M114 515  
 Akasaka S, Yamamoto K: Hydrogen peroxide induces G:C to T:A and G:C to C:G transversions in the *supF* gene of *Escherichia coli* 500  
 Akiyama Y → Taura T 261  
 Alačević M → Ninković M 308  
 Allen IW, Ritchie DA: Cloning and analysis of DNA sequences from *Streptomyces hygroscopicus* encoding geldanamycin biosynthesis 593  
 Asseburg A → Hermanns J 297
- Baker HV → Stanway CA 207  
 Benbow RM → Buisson CM 71  
 Bergeron H → Lau PCK 24  
 Bhagwat AS → Gabbara S 244  
 Boles E, Zimmermann FK: Open reading frames in the antisense strands of genes coding for glycolytic enzymes in *Saccharomyces cerevisiae* 363  
 Bolotin-Fukuhara M → Daignan-Fornier B 575  
 Bonhomme S → Grelon M 540  
 Boquet P → Hauser D 631  
 Bordonné R → Poch O 641  
 Boucher CA → Genin S 112  
 Bowman BJ → Sista H 82  
 Boyd JM, Koga T, Lory S: Identification and characterization of PilS, an essential regulator of pilin expression in *Pseudomonas aeruginosa* 565  
 Brennicke A → Lippok B 39  
 Bride J-M → Mutero A 699  
 Brousseau R → Lau PCK 24  
 Budar F → Grelon M 540  
 Buisson CM, Benbow RM: Molecular analysis of transgenic plants generated by microprojectile bombardment: effect of petunia transformation booster sequence 71
- Camasses A → Poch O 641  
 Canard B, Garnier T, Saint-Joanis B, Cole ST: Molecular genetic analysis of the *nagH* gene encoding a hyaluronidase of *Clostridium perfringens* 215  
 Chak K-F → Soong B-W 477  
 Chamberland H → Couture M 185  
 Cheng L, Watt R, Piper PW: Polyubiquitin gene expression contributes to oxidative stress resistance in respiratory yeast (*Saccharomyces cerevisiae*) 358
- Chueh L-L → Ihara K 379  
 Ciesla Z → Nowicka A 584  
 Cole ST → Canard B 215  
 Coleman RA → Menninger JR 225  
 Collin-Osdoby P, Miller CG: Mutations affecting a regulated, membrane-associated esterase in *Salmonella typhimurium* LT2 674  
 Conejero V → Tornero P 47  
 Costacurta A, Keijers V, Vanderleyden J: Molecular cloning and sequence analysis of an *Azospirillum brasilense* indole-3-pyruvate decarboxylase gene 463  
 Costigan C, Snyder M: SLK1, a yeast homolog of MAP kinase activators, has a PAS/cAMP-independent role in nutrient sensing 286  
 Couch J → Hofmann CJB 600  
 Couture M, Chamberland H, St-Pierre B, Lafontaine J, Guertin M: Nuclear genes encoding chloroplast hemoglobins in the unicellular green alga *Chlamydomonas eugametos* 185  
 Cozijnsen J → Van den Ackerveken GFJM 277  
 Crank SF, Downie JA: Isolation of a DNA polymerase I (*polI*) mutant of *Rhizobium leguminosarum* that has significantly reduced levels of an IncQ-group plasmid 119  
 Crasnier M, Dumay V, Danchin A: The catalytic domain of *Escherichia coli* K-12 adenylate cyclase as revealed by deletion analysis of the *cya* gene 409  
 Cremer S → Schlobherr J 453
- Daignan-Fornier B, Nguyen CC, Reisdorf P, Lemeignan B, Bolotin-Fukuhara M: *MBR1* and *MBR3*, two related yeast genes that can suppress the growth defect of *hap2*, *hap3* and *hap4* mutants 575  
 Dalbøge H, Heldt-Hansen HP: A novel method for efficient expression cloning of fungal enzyme genes 253  
 Danchin A → Crasnier M 409  
 Dave P → Fasullo M 63  
 Davies C, Howard D, Tam G, Wong N: Isolation of *Arabidopsis thaliana* mutants hypersensitive to gamma radiation 660  
 Delseny M → Echeverría M 442  
 De Lucas JR, Gregory S, Turner G: Analysis of the regulation of the *Aspergillus nidulans* *acuD* gene, encoding isocitrate lyase, by construction of a hybrid promoter 654  
 De Wit PJGM → Van den Ackerveken GFJM 277
- Döring H-P → Michel D 334  
 Dowling DN → Adams C 515  
 Downie JA → Crank SF 119  
 Drlica K → Levitz R 417  
 Dubois E, Messenguy F: Pleiotropic function of ArgRllp (Arg82p), one of the regulators of arginine metabolism in *Saccharomyces cerevisiae*. Role in expression of cell-type-specific genes 315  
 Dumay V → Crasnier M 409  
 Dunn RM → Van den Ackerveken GFJM 277
- Echeverría M, Penon P, Delseny M: Plant ribosomal DNA external spacer binding factors: a novel protein binds specifically to a sequence close to the primary pre-rRNA processing site 442  
 Eggert H → Schlobherr J 453  
 Eklund MW → Hauser D 631
- Fabre F → Ninković M 308  
 Fasullo M, Dave P: Mating type regulates the radiation-associated stimulation of reciprocal translocation events in *Saccharomyces cerevisiae* 63  
 Feng J, Yamanaka K, Niki H, Ogura T, Hiraga S: New killing system controlled by two genes located immediately upstream of the *mukB* gene in *Escherichia coli* 136  
 Ferenci T → Liong EC 343  
 Forghani F → Lau PCK 24  
 Fournier D → Mutero A 699  
 Fraipont F de → Poch O 641  
 Fu C, Parker J: A ribosomal frameshifting error during translation of the *argI* mRNA of *Escherichia coli* 434  
 Fuchs J → Pich U 173  
 Fukazawa C → Itoh Y 353  
 Fukuoka H, Kageyama Y, Yamamoto K, Takeda G: Rapid conversion of rDNA intergenic spacer of diploid mutants of rice derived from γ-ray irradiated tetraploids 166  
 Furtek D → Knapp S 666
- Gabbara S, Wyszynski M, Bhagwat AS: A DNA repair process in *Escherichia coli* corrects U:G and T:G mismatches to C:G at sites of cytosine methylation 244  
 Gardiner MJ → Williamson DH 249  
 Garnier T → Canard B 215  
 Gatz C → Röder FT 32  
 Geiss KT, Abbas GM, Makaroff CA: Intron loss from the NADH dehydrogenase subunit 4 gene of lettuce mitochondria

- drial DNA: evidence for homologous recombination of a cDNA intermediate 97
- Genin S, Boucher CA: A superfamily of proteins involved in different secretion pathways in gram-negative bacteria: modular structure and specificity of the N-terminal domain 112
- Gibbs JM → Stanway CA 207
- Giroux MJ, Hannah LC: ADP-glucose pyrophosphorylase in *shrunk-2* and *brittle-2* mutants of maize 400
- Gregory S → De Lucas JR 654
- Grelon M, Budar F, Bonhomme S, Pelletier G: Ogura cytoplasmic male-sterility (CMS)-associated *orf138* is translated into a mitochondrial membrane polypeptide in male-sterile *Brassica* hybrids 540
- Gu L, Remacha M, Wenman WM, Kaul R: Cloning and characterization of a *secY* homolog from *Chlamydia trachomatis* 482
- Guertin M → Couture M 185
- Hannah LC → Giroux MJ 400
- Harashima T → Tamaru H 548
- Häuber MM → Hofmann CJB 600
- Haughn G → Mourad G 178
- Hauser D, Eklund MW, Boquet P, Popoff MR: Organization of the botulinum neurotoxin C1 gene and its associated non-toxic protein genes in *Clostridium botulinum* C 468 631
- Hayakawa H → Ihara K 379
- Heidmann I → Meyer P 390
- Heldt-Hansen HP → Dalbøge H 253
- Hennig W → Hochstenbach R 54
- Henning U → Ried G 127
- Herman A, Węgrzyn A, Węgrzyn G: Regulation of replication of plasmid pBR322 in amino acid-starved *Escherichia coli* strains 374
- Hermanns J, Asseburg A, Osiewacz HD: Evidence for a life span-prolonging effect of a linear plasmid in a longevity mutant of *Podospora anserina* 297
- Heuss JJ, Zonneveld BJM, Steensma HY de, Van den Berg A: Mutational analysis of centromeric DNA elements of *Cluyveromyces lactis* and their role in determining the species specificity of the highly homologous centromeres from *K. lactis* and *Saccharomyces cerevisiae* 325
- Hille J → Rudenko GN 426
- Hindennach I → Ried G 127
- Hiraga S → Feng J 136
- Hiraga S → Yamanaka K 9
- Hiramatsu R → Ohi H 489
- Hochstenbach R, Knops M, Hennig W: Discrimination of related transcribed and non-transcribed repetitive DNA sequences from the Y chromosomes of *Drosophila hydei* and *Drosophila eohydei* 54
- Hofmann CJB, Rensing SA, Häuber MM, Martin WF, Müller SB, Couch J, McFadden GI, Igloi GL, Maier U-G: The smallest known eukaryotic genomes encode an a protein gene: towards an understanding of nucleomorph functions 600
- Höltke HJ → Lau PCK 24
- Hoskins IC, Roberts CF: Expression of the 3-phosphoglycerate kinase gene (*pgkA*) of *Penicillium chrysogenum* 270
- Houben A → Pich U 173
- Howard D → Davies C 660
- Hrouda M, Paszkowski J: High fidelity extrachromosomal recombination and gene targeting in plants 106
- Hsieh S-Y → Soong B-W 477
- Igloi GL → Hofmann CJB 600
- Ihara K, Kawate H, Chueh L-L, Hayakawa H, Sekiguchi M: Requirement of the Pro-Cys-His-Arg sequence for O<sup>6</sup>-methylguanine-DNA methyltransferase activity revealed by saturation mutagenesis with negative and positive screening 379
- Ikeda H → Sugano S 1
- Inoue H → Tamaru H 548
- Ito K → Taura T 261
- Itoh Y, Kitamura Y, Fukazawa C: The glycinin box: a soybean embryo factor binding motif within the quantitative regulatory region of the 11S seed storage globulin promoter 353
- Jack RS → Schloßherr J 453
- Jackson FR → Kulkarni SJ 555
- Ji L-H, Langridge P: An early meiosis cDNA clone from wheat 17
- Kageyama Y → Fukuoka H 166
- Kanabus M → Nowicka A 584
- Kaufhold A → Podbielski A 691
- Kaul R → Gu L 482
- Kawate H → Ihara K 379
- Kearsey SE → Stanway CA 207
- Keijers V → Costacurta A 463
- King J → Mourad G 178
- Kitamura Y → Itoh Y 353
- Klenk H-P → Lehmacher A 198
- Kmiec EB → Kotani H 681
- Knapp S, Larondelle Y, Roßberg M, Furtak D, Theres K: Transgenic tomato lines containing *Ds* elements at defined genomic positions as tools for targeted transposon tagging 666
- Knops M → Hochstenbach R 54
- Koebnik R → Ried G 127
- Koga T → Boyd JM 565
- Koonin EV → Yamanaka K 9
- Kotani H, Kmiec EB: DNA cruciforms facilitate in vitro strand transfer on nucleosomal templates 681
- Krebs B → Podbielski A 691
- Kulkarni SJ, Newby LM, Jackson FR: *Drosophila* GABAergic systems II. Mutational analysis of chromosomal segment 64AB, a region containing the glutamic acid decarboxylase gene (*GAD*) 555
- Kutsukake K: Excretion of the anti-sigma factor through a flagellar substructure couples flagellar gene expression with flagellar assembly in *Salmonella typhimurium* 605
- Labbe D → Lau PCK 24
- Lafontaine J → Couture M 185
- Lanfalone L → Salvi S 124
- Langridge P → Ji L-H 17
- Larondelle Y → Knapp S 666
- Lau PCK, Forghani F, Labbe D, Bergeron H, Brousseau R, Höltke HJ: The *NlaIV* restriction and modification genes of *Neisseria lactamica* are flanked by leucine biosynthesis genes 24
- Lehmacher A, Klenk H-P: Characterization and phylogeny of *merII*, a gene cluster encoding an isoenzyme of methyl coenzyme M reductase from hyperthermophilic *Methanothermobacter fervidus* 198
- Lemeignan B → Daigman-Fornier B 575
- Levitz R, Drlaca K, Murphy E: HIV-1 integrase blocks infection of bacteria by single-stranded DNA and RNA bacteriophages 417
- Liong EC, Ferenci T: Molecular cloning of a maltose transport gene from *Bacillus stearothermophilus* and its expression in *Escherichia coli* K-12 343
- Lippok B, Brennicke A, Wissinger B: Differential RNA editing in closely related introns in *Oenothera* mitochondria 39
- Locke J, Tartof KD: Molecular analysis of *cubitus interruptus* (*ci*) mutations suggests an explanation for the unusual *ci* position effects 234
- López MC → Stanway CA 207
- Lory S → Boyd JM 565
- Luke S → Verma RS 369
- Maier U-G → Hofmann CJB 600
- Makaroff CA → Geiss KT 97
- Maloney AP, VanEtten HD: A gene from the fungal plant pathogen *Nectria haematococca* that encodes the phytoalexin-detoxifying enzyme pisatin demethylase defines a new cytochrome P450 family 506
- Marmur J → Yao B 622
- Martin RP → Poch O 641
- Martin WF → Hofmann CJB 600
- McFadden GI → Hofmann CJB 600
- Meister A → Pich U 173
- Menninger JR, Coleman RA, Tsai L-N: Erythromycin, lincosamides, peptidyl-tRNA dissociation, and ribosome editing 225
- Messenguy F → Dubois E 315
- Meyer P, Heidmann I: Epigenetic variants of a transgenic petunia line show hypermethylation in transgene DNA: an indication for specific recognition of foreign DNA in transgenic plants 390
- Michel D, Salamini F, Motto M, Döring H-P: An unstable allele at the maize *Opaque2* locus is caused by the insertion of a double *Ac* element 334
- Miller CG → Collin-Osdoby P 674
- Mitsuzawa H: Increases in cell size at START caused by hyperactivation of the cAMP pathway in *Saccharomyces cerevisiae* 158
- Miura M → Ohi H 489
- Moore DJ → Williamson DH 249
- Motto M → Michel D 334

- Mourad G, Haughn G, King J: Intragenic recombination in the *CSR1* locus of *Ara-bidopsis* 178
- Müller SB → Hofmann CJB 600
- Murphy E → Levitz R 417
- Mutero A, Bride J-M, Pralavorio M, Fournier D: *Drosophila melanogaster* acetylcholinesterase: Identification and expression of two mutations responsible for cold- and heat-sensitive phenotypes 699
- Mutschler B → Ried G 127
- Newby LM → Kulkarni SJ 555
- Nguyen CC → Daignan-Fornier B 575
- Nijkamp HJJ → Rudenko GN 426
- Niki H → Feng J 136
- Niki H → Yamanaka K 9
- Ninković M, Alačević M, Fabre F, Zgaga Z: Efficient UV stimulation of yeast integrative transformation requires damage on both plasmid strands 308
- Nishida T → Tamaru H 548
- Nowicka A, Kanabus M, Sledziewska-Gójska E, Ciesla Z: Different UmuC requirements for generation of different kinds of UV-induced mutations in *Escherichia coli* 584
- O'Gara Fergal → Adams C 515
- Ogura T → Feng J 136
- Ogura T → Yamanaka K 9
- Ohi H, Miura M, Hiramatsu R, Ohmura T: The positive and negative *cis*-acting elements for methanol regulation in the *Pichia pastoris AOX2* gene 489
- Ohmura T → Ohi H 489
- Okamoto K, Sekito T, Yoshida K: The mitochondrial genome of yeast *Hansenula wingei* encodes NADH dehydrogenase subunit genes *ND4L* and *ND5* 473
- Osiewicz HD → Hermanns J 297
- O'Sullivan DJ → Adams C 515
- Parker J → Fu C 434
- Paro R → Schloßherr J 453
- Paszkowski J → Hroudá M 106
- Pelletier G → Grelon M 540
- Penon P → Echeverría M 442
- Pich U, Houben A, Fuchs J, Meister A, Schubert I: Utility of DNA amplified by degenerate oligonucleotide-primed PCR (DOP-PCR) from the total genome and defined chromosomal regions of field bean 173
- Piper PW → Cheng L 358
- Poch O, Schwob E, Fraipont F de, Cammasses A, Bordonné R, Martin RP: RPK1, an essential yeast protein kinase involved in the regulation of the onset of mitosis, shows homology to mammalian dual-specificity kinases 641
- Podbielski A, Krebs B, Kaufhold A: Genetic variability of the *emm*-related genes of the large *vir* regulon of group A streptococci: potential intra- and intergenomic recombination events 691
- Pon CL → Salvi S 124
- Popoff MR → Hauser D 631
- Pralavorio M → Mutero A 699
- Preiser P → Williamson DH 249
- Rangachari K → Williamson DH 249
- Reisdorf P → Daignan-Fornier B 575
- Remacha M → Gu L 482
- Rensing SA → Hofmann CJB 600
- Ried G, Koebnik R, Hindennach I, Mutschler B, Henning U: Membrane topology and assembly of the outer membrane protein OmpA of *Escherichia coli* K12 127
- Ritchie DA → Allen IW 593
- Roberts CF → Hoskins IC 270
- Röder FT, Schmölling T, Gatz C: Efficiency of the tetracycline-dependent gene expression system: complete suppression and efficient induction of the *rolB* phenotype in transgenic plants 32
- Röder R → Schleper C 91
- Rodríguez-Medina JR, Rymond BC: Prevalence and distribution of introns in non-ribosomal protein genes of yeast 532
- Roßberg M → Knapp S 666
- Rudenko GN, Nijkamp HJJ, Hille J: *DS* read-out transcription in transgenic tomato plants 426
- Rymond BC → Rodríguez-Medina JR 532
- Saint-Joanis B → Canard B 215
- Salamini F → Michel D 334
- Salvi S, Trinei M, Lanfalone L, Pon CL: Cloning and characterization of the gene encoding an esterase from *Spirulina platensis* 124
- Scheuring CF → Taylor BH 148
- Schleper C, Röder R, Singer T, Zillig W: An insertion element of the extremely thermophilic archaeon *Sulfolobus solfataricus* transposes into the endogenous  $\beta$ -galactosidase gene 91
- Schloßherr J, Eggert H, Paro R, Cremer S, Jack RS: Gene inactivation in *Drosophila* mediated by the *Polycomb* gene product or by position-effect variegation does not involve major changes in the accessibility of the chromatin fibre 453
- Schmölling T → Röder FT 32
- Schubert I → Pich U 173
- Schwob E → Poch O 641
- Sekiguchi M → Ihara K 379
- Sekito T → Okamoto K 473
- Shobuike T → Sugano S 1
- Singer T → Schleper C 91
- Sista H, Wechsler MA, Bowman BJ: The proteolipid subunit of the *Neurospora crassa* vacuolar ATPase: isolation of the protein and the *ema-3* gene 82
- Sledziewska-Gójska E → Nowicka A 584
- Snyder M → Costigan C 286
- Sollitt P → Yao B 622
- Soong B-W, Hsieh S-Y, Chak K-F: Mapping of transcriptional start sites of the *cea* and *cei* genes of the *ColE1* operon 477
- Stanway CA, Gibbs JM, Kearsey SE, López MC, Baker HV: The yeast co-activator GAL11 positively influences transcription of the phosphoglycerate kinase gene, but only when RAP1 is bound to its upstream activation sequence 207
- Steensma HY de → Heuss JJ 325
- St-Pierre B → Couture M 185
- Sugano S, Shobuike T, Takeda T, Sugino A, Ikeda H: Molecular analysis of the *dhp1*<sup>+</sup> gene of *Schizosaccharomyces pombe*: an essential gene that has homology to the *DST2* and *RAT1* genes of *Saccharomyces cerevisiae* 1
- Sugino A → Sugano S 1
- Takahashi H → Takayanagi Y 525
- Takayanagi Y, Tanaka K, Takahashi H: Structure of the 5' upstream region and the regulation of the *rpoS* gene of *Escherichia coli* 525
- Takeda G → Fukuoaka H 166
- Takeda T → Sugano S 1
- Tam G → Davies C 660
- Tamaru H, Nishida T, Harashima T, Inoue H: Transcriptional activation of a cycloheximide-inducible gene encoding laccase is mediated by *cpc-1*, the cross-pathway control gene, in *Neurospora crassa* 548
- Tanaka K → Takayanagi Y 525
- Tartof KD → Locke J 234
- Taura T, Akiyama Y, Ito K: Genetic analysis of SecY: additional export-defective mutations and factors affecting their phenotypes 261
- Taylor BH, Scheuring CF: A molecular marker for lateral root initiation: The *RSI-1* gene of tomato (*Lycopersicon esculentum* Mill) is activated in early lateral root primordia 148
- Theres K → Knapp S 666
- Tornero P, Conejero V, Vera P: A gene encoding a novel isoform of the PR-1 protein family from tomato is induced upon viroid infection 47
- Trinei M → Salvi S 124
- Tsai L-N → Menninger JR 225
- Turner G → De Lucas JR 654
- Van den Ackerveken GFJM, Dunn RM, Cozijnsen J, Vossen JPMJ, Van den Broek HWJ, De Wit PJGM: Nitrogen limitation induces expression of the avirulence gene *avr9* in the tomato pathogen *Cladosporium fulvum* 277
- Van den Berg A → Heuss JJ 325
- Van den Broek HWJ → Van den Ackerveken GFJM 277
- Vanderleyden J → Costacurta A 463
- VanEtten HD → Maloney AP 506
- Vera P → Tornero P 47
- Verma RS, Luke S: Evolutionary divergence of human chromosome 9 as revealed by the position of the *ABL* protooncogene in higher primates 369
- Vossen JPMJ → Van den Ackerveken GFJM 277
- Watt R → Cheng L 358
- Wechsler MA → Sista H 82
- Węgrzyn A → Herman A 374
- Węgrzyn G → Herman A 374
- Wenman WM → Gu L 482
- Williamson DH, Gardner MJ, Preiser P, Moore DJ, Rangachari K, Wilson RJM: The evolutionary origin of the 35 kb cir-

- cular DNA of *Plasmodium falciparum*:  
new evidence supports a possible rhodo-  
phyte ancestry 249
- Wilson RJM → Williamson DH 249
- Wissinger B → Lippok B 39
- Wong N → Davies C 660
- Wyszynski M → Gabbara S 244
- Yamamoto K → Akasaka S 500
- Yamamoto K → Fukuoka H 166
- Yamanaka K, Ogura T, Koonin EV, Niki  
H, Hiraga S: Multicopy suppressors,  
*mssA* and *mssB*, of an *smbA* mutation of  
*Escherichia coli* 9
- Yamanaka K → Feng J 136
- Yao B, Sollietti P, Zhang X, Marmur J:  
Shared control of maltose induction and  
catabolite repression of the *MAL* struc-  
tural genes in *Saccharomyces* 622
- Yoshida K → Okamoto K 473
- Zgaga Z → Ninković M 308
- Zhang X → Yao B 622
- Zillig W → Schleper C 91
- Zimmermann FK → Boles E 363
- Zonneveld BJM → Heuss JJ 325

Indexed in *Current Contents*

